

**OBLON** 

SPIVAK
MCCLELLAND
MAIER

NEUSTADT P.C.

ATTORNEYS AT LAW

GREGORY J. MAIER (703) 413-3000 GMAIER@OBLON.COM

RAYMOND F. CARDILLO, JR. (703) 413-3000

RCARDILLO@OBLON.COM



Docket No.: 215530US2PCT

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

RE: Application Serial No.: 09/926,751

Applicants: Horea BACILA, et al.

Filing Date: April 1, 2002

For: APPARATUS AND A METHOD FOR SUPPLYING

INFORMATION Group Art Unit: 2168

Examiner: RONBINSON, G.L.

SIR:

Attached hereto for filing are the following papers:

Response to Notice of Non-Compliant Amendment Under 37 C.F.R. § 1.121 (3 pp.)

Letter Submitting Replacement Drawing Sheet(s)

Replacement Drawings (1 Sheet; Figures 7a-7b and 8)

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,

MAIER & NEUSTADT

Gregory J. Maier

Registration No. 25,599

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) Raymond F. Cardillo, Jr. Registration No. 40,440

DOCKET NO: 215530US2PCT

## IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

HOREA BACILA, ET AL.

SERIAL NO: 09/926,751

FILED: APRIL 1, 2002

NOV 3 0 2006

EXAMINER: ROBINSON, G. L.

: GROUP ART UNIT: 2167

FOR: APPARATUS AND A METHOD FOR SUPPLYING INFORMATION

## RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT UNDER 37 CFR §1.121

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

In response to Notice of Non-Compliant Amendment under 37 CFR §1.121, please amend the above-identified application as follows:

Amendments to the Drawings begin on page 2 of this paper and include an attached replacement sheet.

Remarks/Arguments begin on page 3 of this paper.